

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

œ

# Metallotion PROTEC CE15L+

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Anti-Spatter Fluid for all kinds of metal welding processes.
Uses advised against: No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

PROTEC Trading GmbH Julius-Welser-Str. 1 5020 Salzburg Österreich Tel.: +43 662 633393-0 Fax: +43 662 633393-20 reach@protec-austria.com www.protec-austria.com

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +43 1 4064343

## **SECTION 2: Hazards identification**

	of the substance or mixtu ording to Regulation (EC)	
Hazard class	Hazard category	Hazard statement
Skin Sens.	1	H317-May cause an allergic skin reaction.
Aquatic Chronic	3	H412-Harmful to aquatic life with long lasting effects.
2.2. I abol alamant	'e	

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+



œ

, and the second s

H317-May cause an allergic skin reaction. H412-Harmful to aquatic life with long lasting effects.

P261-Avoid breathing vapours or spray. P273-Avoid release to the environment. P280-Wear protective gloves. P333+P313-If skin irritation or rash occurs: Get medical advice / attention.

2-Octyl-2H-isothiazol-3-one

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## **SECTION 3: Composition/information on ingredients**

3.1 Substances

n.a. 2 2 Mixtures

3.2 Mixtures	
Alcohols, C12-15, ethoxylated	
Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	500-195-7
CAS	68131-39-5
content %	0,5-<1
Classification according to Regulation (EC) 1272/2008	Acute Tox. 4, H302
(CLP), M-factors	Eye Dam. 1, H318
	Aquatic Acute 1, H400 (M=1)

603-085-00-8
200-143-0
52-51-7
0,01-<0,1
Acute Tox. 4, H302
Acute Tox. 4, H312
Skin Irrit. 2, H315
Eye Dam. 1, H318
STOT SE 3, H335
Aquatic Acute 1, H400 (M=10)
Aquatic Chronic 2, H411
613-112-00-5
247-761-7



Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

CAS	26530-20-1
content %	0,0015-<0,01
Classification according to Regulation (EC) 1272/2008	EUH071
(CLP), M-factors	Acute Tox. 2, H330
	Acute Tox. 3, H301
	Acute Tox. 3, H311
	Skin Corr. 1, H314
	Eye Dam. 1, H318
	Skin Sens. 1A, H317
	Aquatic Acute 1, H400 (M=100)
	Aquatic Chronic 1, H410 (M=100)
Specific Concentration Limits and ATE	Skin Sens. 1A, H317: >=0,0015 %
	ATE (oral): 125 mg/kg
	ATE (dermal): 311 mg/kg
	ATE (as inhalation, Mist): 0,27 mg/l/4h

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16. The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. reddening of the skin


Allergic reaction

**4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media
Adapt to the nature and extent of fire.
Water jet spray/foam/CO2/dry extinguisher
Unsuitable extinguishing media
High volume water jet
5.2 Special hazards arising from the substance or mixture
In case of fire the following can develop:
Oxides of carbon
Oxides of nitrogen
Toxic gases
5.3 Advice for firefighters
For personal protective equipment see Section 8.
In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.



## 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes or skin.

(GB)

Page 4 of 14

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

#### 7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Store at room temperature.

## Protect from frost.


7.3 Specific end use(s)

No information available at present.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Bronopol (INN)



Area of application	Exposure route / Environmental compartment	Effect on health	Descript or	Value	Unit	Note
	Environment - freshwater		PNEC	0,01	mg/l	
	Environment - marine		PNEC	0,0008	mg/l	
	Environment - sporadic (intermittent) release		PNEC	0,0025	mg/l	
	Environment - sewage treatment plant		PNEC	0,43	mg/l	
	Environment - sediment, freshwater		PNEC	0,041	mg/l	
	Environment - sediment, marine		PNEC	0,0032 8	mg/l	
	Environment - soil		PNEC	0,5	mg/l	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1,4	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	0,35	mg/kg	
Consumer	Human - dermal	Short term, systemic effects	DNEL	4,2	mg/kg	
Consumer	Human - oral	Short term, systemic effects	DNEL	1,1	mg/kg	
Consumer	Human - dermal	Long term, local effects	DNEL	0,008	mg/cm2	
Consumer	Human - dermal	Short term, local effects	DNEL	0,008	mg/cm2	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,3	mg/m3	
Consumer	Human - inhalation	Short term, local effects	DNEL	1,3	mg/m3	
Consumer	Human - inhalation	Short term, systemic effects	DNEL	3,7	mg/m3	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2,3	mg/kg	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	4,1	mg/m3	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	12,3	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	4,2	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	4,2	mg/m3	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	7	mg/kg	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,013	mg/cm2	
Workers / employees	Human - dermal	Short term, local effects	DNEL	0,013	mg/cm2	

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

#### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:



Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+ Tight fitting protective goggles (EN 166) with side protection, with danger of splashes. Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). If applicable Protective gloves in butyl rubber (EN ISO 374). Protective Neoprene® / polychloroprene gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended. Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments). Respiratory protection: Normally not necessary. Thermal hazards: Not applicable Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer. In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed. 8.2.3 Environmental exposure controls No information available at present. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties Physical state: Liquid Colour: Green Odour: Lemon Melting point/freezing point: There is no information available on this parameter. Boiling point or initial boiling point and boiling range: 100 °C Flammability: No Lower explosion limit: n.a. Upper explosion limit: n.a. Flash point: n.a. Auto-ignition temperature: There is no information available on this parameter. Decomposition temperature: There is no information available on this parameter. pH: 7,4 Kinematic viscosity: 9,6 s (20°C, DIN 53211 (4 mm)) Solubility: Mixable Partition coefficient n-octanol/water (log value): Does not apply to mixtures. Vapour pressure: There is no information available on this parameter. Density and/or relative density: ~0,99 g/ml Relative vapour density: There is no information available on this parameter. Particle characteristics: Does not apply to liquids. 9.2 Other information

(GB)



- @B--

Page 7 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

Explosives: Oxidising liquids: Product is not explosive. No

## **SECTION 10: Stability and reactivity**

10.1 Reactivity
The product has not been tested.
10.2 Chemical stability
Stable with proper storage and handling.
10.3 Possibility of hazardous reactions
No dangerous reactions are known.
10.4 Conditions to avoid
None known
10.5 Incompatible materials
Avoid contact with strong alkalis.
Avoid contact with strong acids.
Avoid contact with strong oxidizing agents.
10.6 Hazardous decomposition products
See also section 5.2
No decomposition when used as directed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Metallotion PROTEC CE15L+

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral						n.d.a.
route:						
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by						n.d.a.
inhalation:						
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ						n.d.a.
toxicity - single exposure						
(STOT-SE):						
Specific target organ						n.d.a.
toxicity - repeated						
exposure (STOT-RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>1000-2000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by inhalation:	LC50	>5	mg/l			
Skin corrosion/irritation:				Rabbit		Not irritant
Serious eye damage/irritation:				Rabbit		Intensively irritant



- @8						
Page 8 of 14 Safety data sheet according Revision date / version: 10. Replacing version dated / ver Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+	01.2022 / 000 ersion: 10.01.2	01		ex II		
Respiratory or skin sensitisation:						Not sensitizising
Bronopol (INN)				- ·		<b>N N</b>
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	305	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	data of a diluted aequous solution
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Skin Irrit. 2
Serious eye damage/irritation:				Rabbit	(Draize-Test)	Eye Dam. 1
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Carcinogenicity:						Negative
Specific target organ toxicity - single exposure (STOT-SE):						STOT SE 3, H335, May cause respiratory
						irritation.
Symptoms:						eyes, reddened, drowsiness, coughing, mucous membrane irritation, nausea and vomiting.

2-Octyl-2H-isothiazol-3-one						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	125	mg/kg			
Acute toxicity, by dermal route:	ATE	311	mg/kg			
Acute toxicity, by inhalation:	ATE	0,27	mg/l/4h			Dust, Mist
Symptoms:						ataxia, diarrhoea

## 11.2. Information on other hazards

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not
properties:						apply to
						mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse
						effects on
						health.



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

## **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification). Metallotion PROTEC CE15L+ Time Test method Toxicity / effect Endpoint Value Unit Organism Notes 12.1. Toxicity to fish: n.d.a. 12.1. Toxicity to n.d.a. daphnia: 12.1. Toxicity to n.d.a. algae: 12.2. Persistence n.d.a. and degradability: 12.3. n.d.a. Bioaccumulative potential: 12.4. Mobility in soil: n.d.a. 12.5. Results of PBT n.d.a. and vPvB assessment Does not 12.6. Endocrine disrupting properties: apply to mixtures. 12.7. Other adverse No information effects: available on other adverse effects on the environment.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1,03	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to fish:	LC50	96h	1,4	mg/l	Pimephales promelas		
12.1. Toxicity to daphnia:	EC50	48h	0,14	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	EC50	48h	0,302	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	96h	0,7	mg/l	Pseudokirchnerie Ila subcapitata		
12.2. Persistence and degradability:			>60	%		OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)	
12.2. Persistence and degradability:			>90	%		OECD- Screening-Test	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3. Bioaccumulative potential:	BCF		3,16				Low
12.1. Toxicity to fish:	LC50	49d	39,1		Oncorhynchus mykiss	OECD 210 (Fish, Early-Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,27	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	

œ–



Page 10 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

œ

12.1. Toxicity to daphnia:	EC50	48h	1,4	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,4 - 2,8	mg/l	Pseudokirchnerie Ila subcapitata		
12.2. Persistence and degradability:			>70	%	activated sludge	OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	
12.2. Persistence and degradability:	DOC		50	%		OECD 302 B (Inherent Biodegradability - Zahn- Wellens/EMPA Test)	Biodegradable
12.3. Bioaccumulative potential:	Log Kow		0,22			OECD 107 (Partition Coefficient (n- octanol/water) - Shake Flask Method)	
12.3. Bioaccumulative potential:	Log Pow		0,18				Not accepted due to the log Pow - value.
Toxicity to bacteria:	LC0	3h	43	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Other organisms:	LC50	14d	>500	mg/l	Eisenia foetida	OECD 207 (Earthworm, Acute Toxicity Tests)	
Other information:	COD		600	mg/g		/	
Other information:	Koc	-	5	5,5			

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,047	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to fish:	NOEC/NOEL	35d	0,0085	mg/l	Pimephales promelas		
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	0,003	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,32	mg/l	Daphnia magna		
12.1. Toxicity to algae:	ErC10	48h	0,0002 24	mg/l	Navicula pelliculosa	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	0,0012 9	mg/l	Navicula pelliculosa	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:			25	%			Not readily biodegradable
Toxicity to bacteria:	EC50		30,2	mg/l	activated sludge		



Page 11 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

œ

Toxicity to bacteria:	EC20	3h	7,3	mg/l	activated sludge	OECD 209
Toxicity to Bucteria:	2020	511	,,5	iiig/i	activated sludge	(Activated
						Sludge,
						Respiration
						Inhibition Test
						(Carbon and
						Àmmonium
						Oxidation))

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods							
For the substance / mixture / residual amounts							
EC disposal code no.:							
The waste codes are recommendations based on the sche	eduled use of this product.						
Owing to the user's specific conditions for use and dispose	al, other waste codes may be						
allocated under certain circumstances. (2014/955/EU)							
12 01 99 wastes not otherwise specified							
Recommendation:							
Sewage disposal shall be discouraged.							
Pay attention to local and national official regulations.							
E.g. dispose at suitable refuse site.							
-	E.g. suitable incineration plant.						
For contaminated packing material							
Pay attention to local and national official regulations.							
Empty container completely.							
Dispose of packaging that cannot be cleaned in the same	manner as the substance.						
, , ,	Uncontaminated packaging can be recycled.						
15 01 02 plastic packaging							
SECTION 14: Transport information							
General statements							
14.1. UN number or ID number:	n.a.						
Transport by road/by rail (ADR/RID)							
14.2. UN proper shipping name:							
14.3. Transport hazard class(es):	n.a.						
14.4. Packing group:	n.a.						
Classification code:	n.a.						
LQ:	n.a.						
14.5. Environmental hazards:	Not applicable						
Tunnel restriction code:							
Transport by sea (IMDG-code)							
14.2. UN proper shipping name:							
14.3. Transport hazard class(es):	n.a.						
14.4. Packing group:	n.a.						
Marine Pollutant:	n.a						
14.5. Environmental hazards: Not applicable							
Transport by air (IATA)							
14.2. UN proper shipping name:							
14.3. Transport hazard class(es):	n.a.						
14.4. Packing group:	n.a.						
14.5. Environmental hazards: Not applicable							
14.6. Special precautions for user	amout must be followed						
Unless specified otherwise, general measures for safe trar							
14.7. Maritime transport in bulk according to IM Non-dangerous material according to Transport Regulation							
Non-uangerous material according to Transport Regulations.							
SECTION 15: R	egulatory information						

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

Observe restrictions: Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Directive 2010/75/EU (VOC):

(GB)

< 0,1 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods. These are indicated in the approval of the active substance.

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

Comply with trade association/occupational health regulations.

#### **SECTION 16: Other information**

Revised sections:

n.a.

These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

# Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Skin Sens. 1, H317	Classification according to calculation procedure.
Aquatic Chronic 3, H412	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.

H317 May cause an allergic skin reaction. H314 Causes severe skin burns and eye damage.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Skin Sens. — Skin sensitization Aquatic Chronic — Hazardous to the aquatic environment - chronic Acute Tox. — Acute toxicity - oral Eye Dam. — Serious eye damage Aquatic Acute — Hazardous to the aquatic environment - acute Acute Tox. — Acute toxicity - dermal Skin Irrit. — Skin irritation STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation Acute Tox. — Acute toxicity - inhalation Skin Corr. — Skin corrosion

#### **Key literature references and sources for data:** Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).





Page 13 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+

(GB)

Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany). German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended. National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

## Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) Adsorbable organic halogen compounds AOX approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS Chemical Abstracts Service CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) EC European Community ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect European Economic Community FFC EINECS European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances ELINCS ΕN European Norms United States Environmental Protection Agency (United States of America) EPA ErCx,  $E\mu Cx$ , ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) et cetera etc. EU European Union EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number general gen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform Chemical Information Database **IUPAC** International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Log Koc Logarithm of adsorption coefficient of organic carbon in the soil



(GB) Page 14 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 10.01.2022 / 0001 Replacing version dated / version: 10.01.2022 / 0001 Valid from: 10.01.2022 PDF print date: 08.02.2022 Metallotion PROTEC CE15L+ Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities International Convention for the Prevention of Marine Pollution from Ships MARPOL n.a. not applicable n.av. not available not checked n.c. n.d.a. no data available NIOSH National Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) PBT persistent, bioaccumulative and toxic Polyethylene PF PNEC Predicted No Effect Concentration parts per million ppm Polyvinylchloride PVC REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other REACH-IT List-No. numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning RID the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

 $\bigcirc$  by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.